

Epson EcoTank ET-16655 Inyección de tinta A3 4800 x 1200 DPI 32 ppm Wifi

Marca : Epson

Familia de productos: EcoTank Código del producto: C11CH71411

Nombre del producto : ET-16655

Epson EcoTank ET-16655. Tecnología de impresión: Inyección de tinta, Impresión: Impresión a color, Resolución máxima: 4800 x 1200 DPI, Velocidad de impresión (color, calidad normal, A4/US Carta): 32 ppm. Copiando: Copia a color. Escaneando: Escaneo a color, Resolución óptica de escáner: 1200 x 2400 DPI. Enviando por fax: Fax a color. Funciones dúplex: Copiar, Imprimir, Escanear. Tamaño máximo de papel ISO A-series: A3. Wifi. Impresión directa. Color del producto: Negro





| Printing | | Input & output capacity | |
|---|---|---|--|
| Duplex printing mode | Auto | Paper tray 2 input capacity | 250 sheets |
| Print technology * | Inkjet | Auto document feeder (ADF) | 1 |
| Printing * | Colour printing | Auto document feeder (ADF) input | 50 sheets |
| Duplex printing * | Image: A set of the set of the | capacity | 50 310003 |
| Maximum resolution * | 4800 x 1200 DPI | Paper handling | |
| Print speed (black, normal quality, A4/US Letter) * | 32 ppm | Maximum ISO A-series paper size * Paper tray media types * | A3 Envelopes, Plain paper |
| Print speed (colour, normal quality, A4/US Letter) | 32 ppm | ISO A-series sizes (A0A9) * | A3, A3+, A4, A5, A6 |
| Print speed (ISO/IEC 24734) mono | 25 ipm | ISO B-series sizes (B0B9) | B6 |
| Print speed (ISO/IEC 24734) colour | 25 ipm | Envelopes sizes | 10, DL |
| Print speed (ISO/IEC 24734) black | 25 ppm | Paper tray media weight | 64 - 300 g/m² |
| Print speed (ISO/IEC 24734) colour | 25 ppm | Ports & interfaces | |
| Duplex print speed (black, normal quality, A4/US Letter) | 21 ppm | Direct printing * | Image: A second s |
| Duplex print speed (colour, normal quality, A4/US Letter) | 21 ppm | USB port Network | ✓ |
| Time to first page (black, normal) | 5.5 s | | |
| Time to first page (colour, normal) | 5.5 s | Wi-Fi * | 1 |
| Borderless printing | 1 | Ethernet LAN * | 1 |
| Copying | | Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) |
| Duplex copying * Duplex copying mode | ✓ Auto | Security algorithms | 64-bit WEP, 128-bit WEP, WPA-PSK, WPA-TKIP |
| Copying * | Colour copying | Mobile printing technologies | Epson Connect, Epson iPrint, Epson Email Print, Epson Remote Print, |
| Scanning | | j i i j i | Apple AirPrint |
| Duplex scanning * | 1 | Design | |
| Duplex scanning mode | Auto | Product colour * | Black |
| Scanning * | Colour scanning | Market positioning * | Home & office |
| Optical scanning resolution * | 1200 x 2400 DPI | Built-in display * | 1 |
| Scanner type * | Flatbed & ADF scanner | Display | LCD |
| Scan technology | CIS | Control type | Touch |
| | | | |

Publication date: 04-MAR-2025. Prints or copies of Information are only valid on the printed Publication date

| Scanning | | Design | |
|--|-------------------------------|--|---|
| Scan to Image formats supported | Cloud BMP, JPEG, TIFF, PNG | Colour display | 1 |
| | | Power | |
| Document formats supported | PDF | Power consumption (copying) | 19 W |
| | | Power consumption (ready) | 9.5 W |
| Duplex faxing | | Power consumption (sleep) | 0.8 W |
| Faxing * Fax transmission speed | Colour faxing 3 sec/page | Power consumption (off) Energy Star Typical Electricity | 0.2 W |
| Modem speed | 33.6 Kbit/s | Consumption (TEC) | 0.14 kWh/week |
| Fax memory | 550 pages | AC input voltage | 220 - 240 V |
| Auto-redialing | ✓ | System requirements | |
| Speed dialling | 1 | Windows operating systems supported | Windows 10, Windows 10 x64, Windows 7, Windows 7 x64, Windows 8, Windows 8 x64, Windows 8.1, Windows 8.1 x64, Windows Vista, Windows Vista x64, Windows XP Professional x64, Windows XP |
| Fax forwarding | 1 | | |
| Error Correction Mode (ECM) | 1 | | |
| Features | | Supporteu | |
| Duplex functions * Number of print cartridges * | Copy, Print, Scan 4 | Mac operating systems supported | Mac OS X 10.6 Snow Leopard |
| Printing colours * | + Black | | Windows Server 2008 R2, Windows |
| Input & output capacity | 2.00. | Server operating systems supported | Server 2012 R2, Windows Server 2016, Windows Server 2003 R2, Windows Server 2003 |
| Total number of input trays * | 3 550 sheets | Weight & dimensions | |
| Total input capacity * | | Width | 515 mm |
| Total output capacity * | 125 sheets 250 sheets | Depth | 500 mm |
| Paper tray 1 input capacity | 250 Sheets | Height | 350 mm |
| | | Weight | 21 kg |
| | | Packaging data | |
| | | Package width | 558 mm |
| | | Package depth | 585 mm |
| | | Package height | 440 mm |
| | | Package weight | 24.6 kg |
| | | Packaging content | |
| | | Cartridge(s) included | ✓ |
| | | Included cartridge capacity (black) | 4500 pages |

Included cartridge capacity (CMY) 2800 pages

AC

Cables included



8715946734545

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.